Sheet

oproved for use unduling to 1939. Onto 0031 0001 mark Office; U.S. DEPARTMENT OF COMMERCE in OMB control number.

ruired to respond to a collection of information unle Under the Paperwork Reduction Act of 1995, no persons. Substitute for form 1449A/PTO INFORMATION DISCLOSURE

| Complete if Known | | | | |
|-------------------------------|------------------|--|--|--|
| Application Number 09/658,209 | | | | |
| Filing Date | October 10, 2000 | | | |
| First Named Inventor | Nehls | | | |
| Group Art Unit | 1645 | | | |
| Examiner Name | to be assigned | | | |
| | | | | |

STATEMENT BY APPLICANT (use as many sheets as necessary) Attorney Docket Number | LEX-0058-USA 4

| | | | U.S. PATENT DOCUMEN | rs | |
|---|--------------|--|----------------------|--|---|
| | Cite No.' | U.S. Patent Document Number (if known | | Date of Publication of cited Document MM-DD-YYYY | Pages, Columns, Unes, Where Relevant Passages or Relevant Figures Appear |
| | AA - | 4.180.496 | Rubenstein et al | 02/26/80 | |
| | AB | 4,215,051 | Schroeder et al | 07/29/80 | |
| | AC | 4,376,110 | David et al | 03/08/83 | |
| | AD | 4.631.211 | Houghten | 12/23/86 | |
| | AE | 4,683,202 | Mullis | 07/28/87 | |
| | AF | 4,689,405 | Frank et al | 08/25/87 | |
| | AG | 4,713,326 | Dattagupta et al | 12/15/87 | • |
| | ·AH | 4,873,191 | Wagner et al | 10/10/89 | |
| | Al Al | 4,946,778 | Ladner et al | 08/07/90 | |
| | AJ | 5,143,854 | Pirrung et al | 09/01/92 | |
| | AK | 5,252,743 | Barrett et al | 10/12/93 | |
| | AL | 5.270.170 | Schatz et al | 12/14/93 | |
| | AM | 5,405,783 | Pirrung et al | 04/11/95 | |
| | AN | 5,424,186 | Fodor et al | 08/13/95 | |
| | AO | 5,432,018 | Dower et al | 07/11/95 | |
| | AP | 5,445,934 | Fodor et al | 08/29/95 | |
| | AQ | 5,464,764 | Capecchi et al | 11/07/95 | |
| | AR | 5,552,281 | Stashenko et al | . 09/03/96 | |
| | AS | 5,556,752 | Lockhart et al | 09/17/96 | |
| | AT | 5,556,772 | Sorge et al | 09/17/96 | |
| | AU | 5,654,173 | Jacobs et al | 08/05/97 | - |
| | AV | 5,744,305 | Fodor et al 04/28/98 | | |
| | AW | 5,817,479 | Au-Young et al | 10/06/98 | |
| | AX | 5,830,721 | Stemmer et al | 11/03/98 | |
| | AY | 5,837,458 | Minshull et al | 11/17/98 | |
| | AZ | 5,877,397 | Lonberg et al | 03/02/99 | |
| - | BA | 6,075,181 | Kucherlapati et al | 06/13/00 | |

| | | | FORE | IGN PATENT DOCUMENTS | | · | |
|-----------------------------|-----|---|--------------------------------------|-----------------------------|------------------------------|--|----------|
| Examiner Cite Initials No.1 | Cân | Foreign Patent Document | | Name of Patentee or | Date of Publication of | Pages, Columns, Lines, Where Relevant | |
| | | Office ² Number ⁴ | Kind Code ^s (if known) | Applicant of Cited Document | cited Document MM-DD-YYYY | Passages or Relevant Figures Appear | Τ° |
| | 88 | WO 88/04300 | | University Patents Inc. | 01/22/91 | | <u> </u> |
| | BC | WQ 88/09810 | | Synthetic Genetics | 02/27/90 | | |
| | 80 | WO 90/11364 | | University Patents Inc. | 10/04/90 | · | <u> </u> |
| | | | | | | | <u> </u> |

| Examiner | • | Date | |
|------------|---|------------|----------|
| Signature | | Considered | <u> </u> |
| Cigitatoro | | | |

*EXAMINER: Initial reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1-1/mg 8/18/04 72, La

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ³ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if PTO/SB/08B (10-96)
Approved for use through 10/31/99, OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid CN/B control number.